


167 / 2013 / EU, REGULATED



CONTACT US

İSTIKLAL KURTPINAR OSB MAHALLESİ,
ATATÜRK CADDESİ NO:58/1
MURATLI, TEKİRDAĞ TÜRKİYE

 @kuzeyagro

 +90 535 358 83 46



ONE AXLE REAR TIPPING



MODEL	Lateral Height	Length & Width Outside of Loading Bag	Tires	Brake	Tipping Type
5 Ton	1100mm	2000mm*3500mm	12,5/80-15,3	HYD/AIR	REAR
6 Ton	1200mm	2100mm*3700mm	400/60-15,5	HYD/AIR	REAR



ONE AXLE THREEWAY TIPPING



MODEL	Lateral Height	Length & Width Outside of Loading Bag	Tires	Brake	Tipping Type
3,5 Ton	650mm	1900mm*3000mm	10,0/75-15,3	HYD/AIR	THREWAY
4 Ton	700mm	2000mm*3000mm	11,5/80-15,3	HYD/AIR	THREWAY
5 Ton	800mm	2000mm*3500mm	12,5/80-15,3	HYD/AIR	THREWAY



TWO AXLE REAR TIPPING



MODEL	Lateral Height	Length & Width Outside of Loading Bag	Tires	Brake	Tipping Type
5 Ton	1200mm	2000mm*4500mm	400/60-15,5	HYD/AIR	REAR
6 Ton	1400mm	2100mm*4500mm	400/60-15,5	HYD/AIR	REAR



TWO AXLE REAR TIPPING



MODEL	Lateral Height	Length & Width Outside of Loading Bag	Tires	Brake	Tipping Type
10 Ton	1500mm	2100mm*5000mm	400/60-15,5	HYD/AIR	REAR
12 Ton	1600mm	2100mm*5000mm	400/60-15,5	HYD/AIR	REAR
14 Ton	1600mm	2300mm*5000mm	385/65-22,5	HYD/AIR	REAR



TWO AXLE THREEWAY TIPPING



MODEL	Lateral Height	Length & Width Outside of Loading Bag	Tires	Brake	Tipping Type
10 Ton	1200mm	2200mm*4500mm	400/60-15,5	HYD/AIR	THREWAY
12 Ton	1200mm	2200mm*5000mm	400/60-15,5	HYD/AIR	THREWAY
14 Ton	1400mm	2300mm*5000mm	385/65-22,5	HYD/AIR	THREWAY



TANDEM TYPE THREEWAY TIPPING



MODEL	Lateral Height	Length & Width Outside of Loading Bag	Tires	Brake	Tipping Type
10 Ton	1200mm	2200mm*4500mm	400/60-15,5	HYD/AIR	THREWAY
12 Ton	1200mm	2200mm*5000mm	400/60-15,5	HYD/AIR	THREWAY
14 Ton	1400mm	2300mm*5000mm	435/50-19,5	HYD/AIR	THREWAY



TANDEM TYPE REAR TIPPING



MODEL	Lateral Height	Length & Width Outside of Loading Bag	Tires	Brake	Tipping Type
6 Ton	1200mm	2100mm*4300mm	12,5/80-15,5	HYD/AIR	REAR
8 Ton	1500mm	2100mm*4300mm	400/60-15,5	HYD/AIR	REAR



TANDEM TYPE REAR TIPPING



MODEL	Lateral Height	Length & Width Outside of Loading Bag	Tires	Brake	Tipping Type
10 Ton	1500mm	2100mm*4800mm	400/60-15,5	HYD/AIR	REAR



TANDEM TYPE REAR TIPPING



MODEL	Lateral Height	Length & Width Outside of Loading Bag	Tires	Brake	Tipping Type
12 Ton	1650mm	2100mm*4800mm	400/60-15,5	HYD/AIR	REAR



TANDEM TYPE REAR TIPPING



MODEL	Lateral Height	Length & Width Outside of Loading Bag	Tires	Brake	Tipping Type
15 Ton	1650mm	2300mm*5000mm	500/50-17	HYD/AIR	REAR



TANDEM TYPE MONOBLOCK REAR TIPPING



MODEL	Lateral Height	Length & Width Outside of Loading Bag	Tires	Brake	Tipping Type
15 Ton	1650mm	2300mm*5000mm	500/50-17	HYD/AIR	REAR



TANDEM TYPE MONOBLOCK REAR TIPPING



MODEL	Lateral Height	Length & Width Outside of Loading Bag	Tires	Brake	Tipping Type
18 Ton	1900mm	2300mm*5000mm	500/50-17	HYD/AIR	REAR



BALE TRAILER



MODEL	Lateral Height	Length & Width Outside of Loading Bag	Tires	Brake	Tipping Type
7.5 Meter	-	2400mm*7500mm	400/60-15,5	HYD/AIR	-
8.1 Meter	-	2400mm*8100mm	400/60-15,6	HYD/AIR	-
10 Meter	-	2400mm*10000mm	400/60-15,7	HYD/AIR	-



WATER TANK



MODEL	Lateral Height	Length & Width Outside of Loading Bag	Tires	Brake	Tipping Type
5 Ton	-	5m3	11.5/80-15,3	HYD/AIR	-
6 Ton	-	6m3	12.5/80-15,3	HYD/AIR	-



WATER TANK



MODEL	Lateral Height	Length & Width Outside of Loading Bag	Tires	Brake	Tipping Type
8 Ton	-	8m3	12.5/80-15,3	HYD/AIR	-
10 Ton	-	10m3	400/60-15,5	HYD/AIR	-

